



BLDE (DEEMED TO BE UNIVERSITY)

[Declared as Deemed to be University u/s 3 of UGC Act, 1956 vide Government of India notification No. F.9-37/2007-U.3(A)]
The Constituent College

SHRI B. M. PATIL MEDICAL COLLEGE, HOSPITAL AND RESEARCH CENTRE

Ref: 510/2025-26

Date: 2/3/26

To
The member secretary
Karnataka state pollution control board
#49 parisar bhavan
4th and 5th floor Church Street
Bangalore- 560001.

Subject: Submission of annual report for year-2025.

Respected Sir,

I am submitting herewith form No: IV (see rule-13) annual report duly filled. Kindly consider the above said form and acknowledge the receipt of the same.

Thanking You

Your Sincerely

Medical Superintendent
BLDE (Deemed to be University)
Copy to:
Shri B. M. Patil Medical College
Hospital & RC, VIJAYAPUR-586103

The environment officer KSPCB SY.NO 49 K, Plot no 86 Harikar Layaout, Bagalkote road vijayapura.

ಪ್ರೀತಿಸಿದ
ಕಾರ್ಯ
03/03/26
ಶ್ರೀ ಬಿ.ಎಂ.ಪಾಟಿ. ಮಂ
ಪಾಠ ವಿಜಯಪುರ

Smt. Bangaramma Sajjan Campus, Ashram Road, Vijayapura - 586103, Karnataka, India.

University: Phone: +91 8352-262770, Fax: +91 8352-264936,262068 Website: www.bldeuniversity.ac.in, E-mail: bmpmc.principal@bldeuniversity.ac.in
Hospital : Phone: +91 8352-262770, Email : bmpmh.ms@bldeuniversity.ac.in

Form – IV
(See rule13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or : operator of facility)	:	Medical Superintendent
	(ii) Name of HCF or CBMWTF	:	B.L.D.E(DU) Shri B.M.Patil Medical College Hospital & R.C.Vijayapura
	(iii) Address for Correspondence	:	Survey No: 30/A Behind Hospital Premises , B.L.D.E(DU) Shri B.M.Patil Medical College Hospital & R.C.Vijayapura
	(iv) Address of Facility		- Do-
	(v)Tel. No, Fax. No	:	Tel No: 08352-262770 Ext: 2016 Fax No: 08352-262068
	(vi) E-mail ID	:	bmpmh.ms@bldedu.ac.in
	(vii) URL of Website		Sbmphospital.bldedu.ac.in bio-medicalwaste.managemant
	(viii) GPS coordinates of HCF or CBMWTF		-----
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.:PCB/26/BMW/1805 Date : 08-06-2022 valid up to:30-06-2026
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 30-06-2026 Consent : No AW-331511
2.	Type of Health Care Facility	:	Health Institution
	(i) Bedded Hospital	:	No. of Beds: 1400 Beds.
	(ii) Non-bedded hospital	:	
			NA

disposal facilities		Type of treatment equipment Incinerators : Plasma Pyrolysis Autoclaves : Microwave Hydroclave Shredder : Needle tip cutter or destroyer Sharps : encapsulation or -concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:	No of units 1 1 1 4 - - - -	Capacity 600kg 100 kg 300 kg 30 kg - - - -	Quantity treated or disposed in kg per annum 58,150kg 11,125 kg 5200 kg 1125 kg - - - -
(iii) Quantity of recyclable wastes Sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) 2250 kg Per annum. : Blue Category 2175 Per annum.			
(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA			
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity generated	Where disposed	
(vi) Name of the Common Bio- : Medical Waste Treatment Facility Operator through which wastes are disposed of		NA			
(vii) List of member HCF not handed over bio-medical waste.		NA			
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes (Enclosed)			
7 Details trainings conducted on BMW BMW Management.		Yes (Enclosed)			

	(ii) number of personnel trained		1026
	(iii) number of personnel trained at the time of induction		786
	(iv) number of personnel not undergone any training so far		90
	(v) whether standard manual for Training is available?		Training with help of PowerPoints presentation, Hands on Training Interactive Sessions.
	(vi) any other information)		-
8	Details of the accident occurred during the year		Nil
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		No
9.	Are you meeting the standards of air Pollution from the incinerator? How Many times in last year could not met the standards?		Yes (Monthly Meeting KSPCB Standard)
	Details of Continuous online emission monitoring systems installed		----
10	Liquid waste generated and treatment Methods in place. How many times You have not met the standards in a year?		Sewage Treatment Plant (STP) (Monthly Meeting KSPCB Standard)
11	Is the disinfection method or Sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		-----
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01-01-2025 to 31-12-2025

Date: 23-02-2026

Place: Vijayapura.


Name and Signature of the Head of the Institution

Medical Superintendent
BLDE (Deemed to be University)
Shri B.M. Patil Medical College
Hospital & RC., VIJAYAPUR-586103



P : 0831-3569022
M : 7899818373, 9902824295
E-mail : belgaumtesthouse@gmail.com

BELGAUM TEST HOUSE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986) New Delhi.

ಬೆಲಗಾಂವ್ ಟೆಸ್ಟ್ ಹೌಸ್ ಎಲ್‌ಎಲ್‌ಪಿ

(ಪರಿಸರ (ಸಂರಕ್ಷಣಾ) ಕಾಯ್ದೆ, 1986 ರ ಕಲಂ 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.

बेलगांव टेस्ट हाउस एलएलपी

(पर्यावरण (संरक्षण) अधिनियम, 1986 अनुभाग 12 की धारा मान्यता प्राप्त प्रयोगशाला) न्यु दिल्ली.

Office Address : Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum - 590 015.

ಕಛೇರಿ ವಿಳಾಸ : ಪ್ಲಾಟ್ ನಂ. 457/458, ಕಣಬರಗಿ ಇಂಡಸ್ಟ್ರಿಯಲ್ ಏರಿಯಾ, ಆಟೋನಗರ, ಬೆಲಗಾವಿ - 590 015



ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Accredited Testing Laboratory by NABL

TEST REPORT

BTHLLP / GEN / F / 25 / 02 / 00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	BTHLLP2026000544-1	Test report issue date	24.01.2026
Sample code Number	BTHLLP/BLDE/A/26/01/544	ULR Number	TC1473526000000544F
Name and address of customer with contact details	M/s. BLDE University of Medical College & Hospital, Vijayapura District, Karnataka	Reference to Work order/ Client request letter/ Purpose of the report	Work order No. HPPO 05-2638/24-25 dt 14.12.2024
Name of the sample	Ambient Air	Monitoring location	Near Generator DG Room
Particulars of sample collected	Monitored through Respirable Dust Sampler APM 460NL, Gaseous Sampler APM 411TE and Fine Particulate Sampler APM-550	Date of receipt of sample	21.01.2026
		Date of start of analysis	21.01.2026
		Date of completion of analysis	24.01.2026
Sample collected by	M/s. Belgaum Test House LLP, Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum 590015	Reference to sampling procedure	BTHLLP/QSP/19
Date of Monitoring	19.01.2026	Time/ duration of sampling	08 Hrs 09:00 am to 05:00 pm
Discipline	Chemical		
Group	Atmospheric Pollution		
Page No	1 of 1		
Amendment No & date	--		

RESULT TABLE

SI. No	Parameters	Unit	Results	NAAQ Standards (2009)	Methods
1.	Particulate Matter (PM ₁₀)	µg/ m ³	64	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	27	60	IS: 5182 (Part 24)
3.	Sulphur dioxide (SO ₂)	µg/ m ³	9.31	80	IS: 5182 (Part 2)
4.	Nitrogen dioxide (NO ₂)	µg/ m ³	18.48	80	IS: 5182 (Part 6)- 1st rev

INFERENCE As per NAAQ Standards, Report Status: -The measured values for the above parameters are within the standards.

Reviewed by
(Arjun Terdal),
Senior Analyst

Authorized Signatory
(Vinayak S Naik),
Senior Analyst

End of Test Report

Medical Superintendent
BLDE (Deemed to be University)
Shri B.M. Padi Medical College
Hospital & RC, VZAVAPUR-586103

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Belgaum jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



P : 0831-3569022
M : 7899818373, 9902824295
E-mail : belgaumtesthouse@gmail.com

BELGAUM TEST HOUSE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986) New Delhi.

ಬೆಲಗಾಂವ್ ಟೆಸ್ಟ್ ಹೌಸ್ ಎಲ್‌ಎಲ್‌ಪಿ

(ಪರಿಸರ (ಸಂರಕ್ಷಣಾ) ಕಾಯ್ದೆ 1986 ರ ಕಲಂ 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.

बेलगांव टेस्ट हाउस एलएलपी

(पर्यावरण (संरक्षण) अधिनियम, 1986 अनुभाग 12 की धारा मान्यता प्राप्त प्रयोगशाला) न्यु दिल्ली.

Office Address : Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum - 590 015.

ಕಛೇರಿ ವಿಳಾಸ : ಪ್ಲಾಟ್ ನಂ. 457/458, ಕಣಬರಗಿ ಇಂಡಸ್ಟ್ರಿಯಲ್ ಎರಿಯಾ, ಆಟೋನಗರ, ಬೆಲಗಾವಿ - 590 015



TC-14735

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Accredited Testing Laboratory by NABL

TEST REPORT

BTHLLP / GEN / F / 25 / 02 / 00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test report Number	BTHLLP2026000545-1	Test report issue date	24.01.2026
Sample code Number	BTHLLP/BLDE/A/26/01/545	ULR Number	TC147352600000545F
Name and address of customer with contact details	M/s. BLDE University of Medical College & Hospital District. Karnataka	Reference to Work order/ Client request letter/ Purpose of the report	Work order No. HPPO 05-2638/24-25 dt 14.12.2024
Name of the sample	Ambient Air	Monitoring location	Near ETP Plant
Particulars of sample collected	Monitored through Respirable Dust Sampler APM 460NL, Gaseous Sampler APM 411TE and Fine Particulate Sampler APM 550	Date of receipt of sample	21.01.2026
		Date of start of analysis	21.01.2026
		Date of completion of analysis	24.01.2026
Sample collected by	M/s. Belgaum Test House LLP, Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum 590015	Reference to sampling procedure	BTHLLP/QSP/19
Date of Monitoring	19.01.2026	Time/ duration of sampling	08 Hrs 09:05 am to 05:05pm
Discipline	Chemical		
Group	Atmospheric Pollution		
Page No	1 of 1		
Amendment No & date	--		

RESULT TABLE

SI. No	Parameters	Unit	Results	NAAQ Standards (2009)	Methods
1.	Particulate Matter (PM ₁₀)	µg/ m ³	51	100	IS: 5182 (Part 23)
2.	Particulate Matter (PM _{2.5})	µg/ m ³	19	60	IS: 5182 (Part 24)
3.	Sulphur dioxide (SO ₂)	µg/ m ³	7.3	80	IS: 5182 (Part 2)
4.	Nitrogen dioxide (NO ₂)	µg/ m ³	16.70	80	IS: 5182 (Part 6)- 1st rev

INFERENCE

As per NAAQ Standards,
Report Status: -The measured values for the above parameters are within the standards.

Reviewed by
(Arjun Terdal),
Senior Analyst

Authorized Signatory
(Vinayak S Naik),
Senior Analyst

End of Test Report

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters.
2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Belgaum jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded.
6. Complaint register is available at the laboratory at the reception.



P : 0831-3569022
M : 7899818373, 9902824295
E-mail : belgaumtesthouse@gmail.com

BELGAUM TEST HOUSE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986) New Delhi.

ಬೆಳಗಾವಿ ಟೆಸ್ಟ್ ಹೌಸ್ ಎಲ್‌ಎಲ್‌ಪಿ

(ಪರಿಸರ (ಸಂರಕ್ಷಣಾ) ಕಾಯ್ದೆ, 1986 ರ ಕಲಂ 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.

ಬೆಲಗಾಂವ್ ಟೆಸ್ಟ್ ಹೌಸ್ ಎಲ್‌ಎಲ್‌ಪಿ

(पर्यावरण (संरक्षण) अधिनियम, 1986 अनुभाग 12 की धारा मान्यता प्राप्त प्रयोगशाला) न्यू दिल्ली.

Office Address : Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum - 590 015.

ಕಛೇರಿ ವಿಳಾಸ : ಪ್ಲಾಟ್ ನಂ. 457/458, ಕಣಬರಗಿ ಇಂಡಸ್ಟ್ರಿಯಲ್ ಏರಿಯಾ, ಆಟೋನಗರ, ಬೆಳಗಾವಿ - 590 015



TC-14735

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Accredited Testing Laboratory by NABL

TEST REPORT

BTHLLP / GEN / F / 25 / 02 / 00

STACK EMISSION MONITORING RESULTS

Test report Number	BTHLLP2026000546-1	Test report issue date	24.01.2026
Sample code Number	BTHLLP/ V&B/SE/26/01/546	ULR Number	TC147352600000546F
Name and address of customer with contact details	M/s. BLDE University of Medical College & Hospital, Vijayapura District, Karnataka	Reference to Work order/ Client request letter/ Purpose of the report	Work order No. HPPO 05-2638/24-25 dt 14.12.2024
Name of the sample	Source Emission	Monitoring location	Incinerator Chimney
Particulars of sample collected	Monitored through Stack Sampler VSS1	Date of receipt of sample	21.01.2026
		Date of start of analysis	21.01.2026
		Date of completion of analysis	24.01.2026
Sample collected by	M/s. Belgaum Test House LLP, Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum 590015	Reference to sampling procedure	BTHLLP/QSP/19
Date of Monitoring	19.01.2026		
General Details	Ambient temperature (°C):25	Stack temperature (°C):60	Velocity (m/s):6.92
	Cross section area (m ²): 0.138	Quantity of flue gas discharged into atmosphere (Nm ³ /h):3085.12	Diameter (m):0.420
Discipline	Chemical		Dust emission rate of PM (Kg/hr): 0.193
Group	Atmospheric Pollution		
Page No	1 of 2		
Amendment No & date	--		

RESULT TABLE

Parameters	Protocol	Unit	Result
Particulate Matter	IS: 11255, (P1)	mg/Nm ³	62.50
Oxides of Nitrogen NO ₂	IS: 11255, (P7)	mg/Nm ³	24.90
Sulphur dioxide	IS: 11255, (P2)	mg/Nm ³	13.13

Reviewed by
(Arjun Terdal),
Senior Analyst

Authorized Signatory
(Vinayak S Naik),
Senior Analyst

End of Test Report

Concern towards protecting Environment

Note:

- The results refer only to the tested samples & applicable parameters.
- Sample(S) not drawn by us unless stated.
- Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Belgaum jurisdiction only.
- The Report Shall not be reproduced partially without the consent of the laboratory.
- After 15 days of report submission the samples will be discarded.
- Complaint register is available at the laboratory at the reception.



P : 0831-3569022
M : 7899818373, 9902824295
E-mail : belgaumtesthouse@gmail.com

BELGAUM TEST HOUSE LLP

(Recognised under section 12 of the Environment (Protection) Act, 1986) New Delhi.

ಬೆಲಗಾಂ ಟೆಸ್ಟ್ ಹೌಸ್ ಎಲ್‌ಎಲ್‌ಪಿ

(ಪರಿಸರ (ಸಂರಕ್ಷಣೆ) ಕಾಯ್ದೆ, 1986 ರ ಕಲಂ 12 ರಲ್ಲಿ ಮಾನ್ಯತೆ ಪಡೆದ ಪ್ರಯೋಗಾಲಯ) ನವ ದೆಹಲಿ.

बेलगांव टेस्ट हाउस एलएलपी

(पर्यावरण (संरक्षण) अधिनियम, 1986 अनुभाग 12 की धारा मान्यता प्राप्त प्रयोगशाला) न्यु दिल्ली.

Office Address : Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum - 590 015.

ಕಛೇರಿ ವಿಳಾಸ : ಪ್ಲಾಟ್ ನಂ. 457/458, ಕಂಬರ್ಗಿ ಇಂಡಸ್ಟ್ರಿಯಲ್ ಏರಿಯಾ, ಆಟೋನಗರ, ಬೆಲಗಾವಿ - 590 015



TC-14735

ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 Accredited Testing Laboratory by NABL

BTHLLP / GEN / F / 25 / 02 / 00

TEST REPORT

ANALYSIS REPORT OF WASTE WATER QUALITY

Test report Number	BTHLLP2026000547-1	Test report issue date	24.01.2026
Sample code Number	BTHLLP/BLDE/WW/26/01/547	ULR Number	TC147352600000547F
Name and address of customer with contact details	M/s. BLDE University of Medical College & Hospital, Vijayapura District, Karnataka	Reference to Work order/ Client request letter/ Purpose of the report	Work order No. HPP0 05-2638/24-25 dt 14.12.2024
Name of the sample	ETP treated Water	Date of receipt of sample	21.01.2026
Sampling Location & Method of Sampling	ETP Treated Water, Grab Sampling	Date of start of analysis	21.01.2026
		Date of completion of analysis	24.01.2026
Sample collected by	M/s. Belgaum Test House LLP, Plot No. 457/458, Kanbargi Industrial Area, Autonagar, Belgaum 590015	Reference to sampling procedure	BTHLLP/QSP/19
Date of Monitoring	19.01.2026		
Discipline	Chemical		
Group	Pollution and Environment		
Page No	1 of 1		
Amendment No & date	--		

RESULT TABLE

Sl.No	Parameters	Test Method	Unit	Result
1.	pH	APHA 4500 H ⁺ B	--	8.26
2.	Total Suspended Solids	APHA 2540 D	mg/L	11
3.	B.O.D (3 days @ 27°C)	IS 3025 Part 44	mg/L	15
4.	Chemical Oxygen Demand	APHA 5220 B	mg/L	48
5.	Oil & Grease	APHA 5520 B	mg/L	BDL
6.	Residual Free Chlorine	APHA 4500 Cl B	mg/L	BDL
7.	Sulphate as SO ₄	APHA 4500-SO ₄ ²⁻ E	mg/L	32.78

Note: BOD: Biochemical Oxygen Demand, BDL - Below Detectable Limit.

Reviewed by
(Vinayak S Naik),
Senior Analyst

Authorized Signatory
(Raviraj Paramshetti)
Senior Analyst

End of Test Report

Concern towards protecting Environment

Note:

1. The results refer only to the tested samples & applicable parameters.
2. Sample(S) not drawn by us unless stated.
3. Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Belgaum jurisdiction only.
4. The Report Shall not be reproduced partially without the consent of the laboratory.
5. After 15 days of report submission the samples will be discarded.
6. Complaint register is available at the laboratory at the reception.

ANNEXURE – I

Sl.No	Category details	Qty. Generated on monthly average
1	Yellow	5500 kg to 6000 kg per month
2	Red	175 kg to 200 kg per month
3	White	60 kg to 70 kg per month
4	Blue	475 kg to 500 kg per month

ANNEXURE – II

Sl.No	Category details	Qty. Treated per day
1	Yellow	170 to 200 kg/day
2	Red	10 kg to 15 kg/day
3	White	2.5 kg/day
4	Blue	20 kg to 25 kg/day

ANNEXURE – III

Sl.No	Category details	Mode of Treatment
1	Yellow	Incinerated
2	Red	Chemical treatment / Autoclaving
3	White	Needle tip cutter or destroyer, concrete pit burial
4	Blue	Chemical treatment / Autoclaving

SL NO	MEMBERS	DESIGNATION
1	Dr. Tejaswini Vallabha	Dean Faculty of Medicine and Principal
2	Dr. Rajesh Honnutagi	Medical Superintendent
3	Dr. Ashok Taradi	Resident Medical Officer
4	Dr. Annapurna Sajjan	Professor and HOD Dept of Microbiology
5	Dr. Vijayalaxmi Patil	Associate Professor, Dept. of Pathology
6	Dr. Dayanand Biradar	Associate Professor, Dept. of Surgery
7	Dr. Renuka Holyachi	Professor and HOD Dept of Anaesthesiology
8	Dr. Hidayatulla Bijapure	Assistant Professor, Dept. of Pediatrics
9	Dr. Tanuja Kulkarni	Assistant Professor, Dept. of Community Medicine
10	Dr. Avinash Jugati	Assistant Professor, Dept. of Medicine
11	Dr. Prasanth Kenganal	Assistant Professor, Dept. of Orthopedics
12	Mrs. Jeyanthi. R	Nursing Superintendent
13	Mr Mehaboobpasha Karajagi	Assistant Quality Manager
	Mrs Shantesh Salagare	Assistant Hospital Administration, SSH & Quality
14	Mr. R. C. Kamble	ETP/Incinerator Operator
15	Mrs Gouramma Doddabanga	Operation Theatre Incharge
16	Dr. Rashmi M Karigoudar	Member Secretary, Dept. of Microbiology



B.L.D.E (DEEMED TO BE UNIVERSITY)

SHRI.B.M. PATIL MEDICAL COLLEGE HOSPITAL AND RESEARCH CENTRE,
Ashram Road, VIJAYPUR-586 103 Phone No.08352-262770

Date: 19.11.2025

Biomedical Waste Management Committee Meeting Attendance

Sl. No	Name	Designation	Department	Signature
1	Ramesh. C. Kumbale	E.T.P / Incharge	Bio-Medi waste mgmt	Bombale
2	Dr Vijay. V. Katti	Professor	Anaesthesia	Vijay
3	Dr. D. N. Kulkarni	Prof & HOD	Gen Surg	D. N. Kulkarni
4	Dr. Tanuja. Pattakar	Assoc. Prof.	Comm med	Tanuja
5	DR. R. K. Wani	Prof	Opn. M.	R. K. Wani
6	Dr. Ashay Kulkarni	Asst Prof	Med	Ashay
7	Dr S. S. Nandi	Prof & HOD	Ortho	S. S. Nandi
8	Dr M. S. Kotechavan	Prof & HOD	Surg	M. S. Kotechavan
9	E. P. Jadhav	Adm	Hospital	E. P. Jadhav
10	Dr. Vinod. Jadhav	Asst manager Quality & admin	Quality	Vinod
11	Melabodhabha Kogaji	Asst Admin & Quality	Quality	Kogaji
12	Dr. Hidayat. Kogaji	Asst Prof	Path	Hidayat
13	Mr. Girish. N. Dahagade	Incharge	Nursing	Girish
14	Patil Pravin	Assistant Nursing Sup.	Nursing	Patil
15	Somachekar Bhandar	Staff nurse	Nursing	Somachekar
16	Malasappa, Kenganal	Staff nurse	Nursing	Malasappa
17	Dr. Renuka. H	Prof & HOD	Anaesthesia	Renuka
18	Dr. M.V. Hingaji	Asst Prof	Neurosurgery	M.V. Hingaji
19	Dr. Prashant Kenganal	Asst Prof.	Ortho	Prashant
20	Shawel. Salgaonkar	Asst Hosp Admin	CSH Admin	Shawel
21				
22				



B.L.D.E (DEEMED TO BE UNIVERSITY)
SHRI.B.M. PATIL MEDICAL COLLEGE HOSPITAL AND RESEARCH CENTRE,
Ashram Road, VIJAYPUR-586 103 Phone No.08352-262770

Biomedical Waste Management committee
MINUTES OF MEETING

Date and time: 10.11.2025

Venue: Medical education Hall

Agenda of the meeting:

- Analysis of Segregation of Biomedical waste
- Online monitoring of emission system
- PPE for BMW sanitizer workers
- Repair/Replacement of Clarifier -300kdl STP
- Replacement of Incineration water recirculation tank
- Replacement of chimney
- Replacement of air diffuser -300kdl STP
- Vehicle for transport of BMW

Sl. No	POINT DISCUSSED	Action to be taken	TIME FRAME
1	Analysis of Segregation of waste was satisfactory	Training sessions to be conducted for staff	1 month
2	Online monitoring of emission system	LANE to be installed	2 month
3	Repair/Replacement of Clarifier - 300kdl STP	Quotation to be obtained	1 month



B.L.D.E (DEEMED TO BE UNIVERSITY)
SHRI.B.M. PATIL MEDICAL COLLEGE HOSPITAL AND RESEARCH CENTRE,
Ashram Road, VIJAYPUR-586 103 Phone No.08352-262770

4	Replacement of Incineration water recirculation tank	Vendor finalization and procurement	2 months
5	Replacement of chimney	Structural assessment and installation by approved vendor	3 months
6	PPE for BMW sanitizer workers	Procurement and distribution of PPE	15 days
7	Replacement of air diffuser – 300 KLD STP	Purchase and installation of new diffusers	2 month
8	Vehicle for transport of BMW	Tendering and procurement of vehicle	3 months

Dr. Rashmi .M. Karigoudar

Member Secretary
Associate Professor
Department of MicroBiology
BLDE (Deemed to be University)
Shri B.M.Patil Medical College
VIJAYAPUR-586103



B.L.D.E. (Deemed to be University)

Shri. B. M. Patil Medical College, Hospital and Research Centre Vijayapura

Date: 04- 3 -2025

Meeting Notice

This is to inform that Biomedical Waste Management Committee meeting will be held on

Date: 6.3.2025

Time : 4.00 PM ;

Venue: Medical Education Department

Kindly make it convenient to attend

Agenda of the meeting

- Analysis of Segregation of waste
- Submission of Annual report
- Update on web site
- Training sessions for the newly appointed staff members

Dr. Rashmi .M. Karigoudar













Member Secretary
Associate Professor
Department of MicroBiology
BLDE (Deemed to be University)
Shri B.M.Patil Medical College,
VIJAYAPUR-586103.

Copy to:

- The Principal.
- The Registrar.
- The Hon'ble Vice Chancellor.
- The Medical Superintendent.
- All Members of the Committee.

SL NO	MEMBERS	DESIGNATION
1.	Dr. Aravind V Patil	Dean Faculty of Medicine and Principal
2.	Dr. Rajesh Honnutagi	Medical Superintendent
3.	Dr. Ashok Taradi	Resident Medical Officer
4.	Dr. Renuka Holyachi	Professor & HOD, Dept. of Anaesthesiology
5.	Dr. Vijayalaxmi Patil	Associate Professor, Dept. of Pathology
6.	Dr. Dayanand Biradar	Associate Professor, Dept. of Surgery
7.	Dr. Hidayatulla Bijapure	Associate Professor, Dept. of Pediatrics
8.	Dr. Tanuja Kulkarni	Associate Professor Dept. of Community Medicine,
9.	Dr. Avinash Jugati	Assistant Professor, Dept. of Medicine
10.	Dr. Prasanth Kenganal	Assistant Professor, Dept. of Orthopedics
11.	Mrs. Jeyanthi. R	Nursing Superintendent
12.	Mr. Mehaboobpasha Karajagi	Asst. Hospital Administrator & Quality
13.	Mrs Shantesh Salagare	Asst. Hospital Administrator, SSH & Quality
14.	Mr. R. C. Kamble	ETP/Incinerator Operator
15.	Mrs. Gouramma Doddabanga	Operation Theatre Incharge
16.	Dr. Rashmi M Karigoudar	Member Secretary, Dept. of Microbiology

The following members attended the meeting

SL NO	MEMBERS	DESIGNATION	SIGNATURE
1.	Dr. Aravind V Patil	Dean Faculty of Medicine and Principal	
2.	Dr. Rajesh Honnutagi	Medical Superintendent	
3.	Dr. Ashok Taradi	Resident Medical Officer	
4.	Dr. Annapurna Sajjan	Professor and HOD Dep of Microbiology	
5.	Dr. Vijayalaxmi Patil	Associate Professor, Dept. of Pathology	
6.	Dr. Dayanand Biradar	Associate Professor, Dept. of Surgery	
7.	Dr. Renuka Holyachi	Associate Professor, Dept. of Anaesthesiology	
8.	Dr Basavaraj Patil	Assistant Professor, Dept. of OBG	
9.	Dr. Hidayatullah Bijapure	Assistant Professor, Dept. of Associate Pediatrics	
10.	Dr. Tanuja Kulkarni Pattanekar	Assistant Professor, Dept. of Assoc. Community Medicine	
11.	Dr. Avinash Jugati	Assistant Professor, Dept. of Medicine	
12.	Dr. Prasanth Kenganal	Assistant Professor, Dept. of Orthopedics	
13.	Mrs. Jeyanthi. R	Nursing Superintendent	
14.	Mr. R. C. Kamble	ETP/Incinerator Operator	
15.	Operation Theatre Incharge	Operation Theatre Incharge	
16.	Dr. Rashmi M Karigoudar	Member Secretary, Dept. of Microbiology	



B.L.D.E (DEEMED TO BE UNIVERSITY)
SHRI.B.M. PATIL MEDICAL COLLEGE HOSPITAL AND RESEARCH CENTRE,
Ashram Road, VIJAYPUR-586 103 Phone No.08352-262770

Biomedical Waste Management committee
MINUTES OF MEETING

Date and time: 4.3.2025

Venue: Medical education hall

Agenda of the meeting:

- Analysis of Segregation of waste
- Annual Report submission
- Update of BMW statistics on college website
- Appointment of staff members for monitoring analysis of segregation of waste

Sl. No	POINT DISCUSSED	Action to be taken	TIME FRAME
1	Minutes of meeting of the last meeting	All the points of the previous meeting were satisfied	
2	Analysis of Segregation of waste was satisfactory	Training sessions to be taken for infection control nurse and newly appointed Health care workers	1 month
3	Training sessions for the newly appointed staff members	Time table for Training sessions to be scheduled and taken	2 month
4	Annual Report submission	To be Submitted	2 days
5	Uploading of monthly report on waste generated on college website	uploaded	1 week
6	Appointment of ICN & staff members for monitoring analysis of segregation of waste	New ICNS to be appointed	1 month

Dr. Rashmi .M. Karigoudar

Member Secretary

Associate Professor
Department of MicroBiology
BLDE (Deemed to be University)
Shri B.M.Patil Medical College,
VIJAYAPUR-586103.

